

PRODUCT DATA SHEET

LED
POLYCARBONATE
DUSTPROOF
INDUSTRIAL
LUMINAIRE

www.fitzlight.co.uk
01208 79524

Fitzgerald 

LED POLYCARBONATE DUSTPROOF INDUSTRIAL LUMINAIRE

Fitzgerald^{FL}
www.fitzlight.co.uk

Our LED Polycarbonate Dustproof luminaire has been engineered for general, industrial and commercial applications.

Polycarbonate body for permanent or arduous industrial and commercial application. Heavy duty, long life luminaire for mounting directly onto ceilings and for external use under canopy.

Also supplied with fixing clips for quick ceiling or trunking mounting and stainless steel clips as standard.



Applications:

- Warehousing
- Food preparation areas
- Manufacturing plants
- Cold stores
- Multi-storey car parks
- Retail superstores
- Under canopy lighting




LED Product Specifications:

- Luminaire housing is of a non drillable corrosion, moisture and acid resisting polycarbonate which is flame resistant and comes with a continuous non aging gasket
- Polycarbonate injection moulded diffusers
- Cable entries with grommets at both ends. Further conduit entries on rear of the housing. White powder coated metal geartray fixed to the body by flexible geartray suspension clips
- Constant output driver with colour 840 as standard on LED
- 5 Year warranty as standard




Cool white 4000 kelvin LED gives an outstanding performance



This product is supplied with two hanging clips and the grommet as standard

LED POLYCARBONATE DUSTPROOF

INDUSTRIAL LUMINAIRE




ORDER CODES

LED Dustproof	Lumens	Watts	Length	Width	Height	Fixing A1
PDP 30/5/CO/840 (single)	2500	30	1565	80	90	1040
PDP 60/5T/CO/840 (twin)	5000	60	1565	120	90	1040

LED Polycarbonate Dustproof part code formula example:

Product Family	Watts	Body Style	Output Driver	Colour Temp	Emergency Option
PDP	60	5T	CO	840	M3

Emergency Options: /M3: 3hr maintained emergency option available on both bodies.



Twin version shown here